



SPECIALIZE IN DESIGNING AND MANUFACTURING
OUTDOOR PUBLIC FACILITIES

- Picnic Tables
- Outdoor Benches
- Trash Bins





Developer Amenities is a U.S.-based supplier of high-quality outdoor site furnishings created to elevate community and commercial spaces.

We partner with trusted global manufacturers to deliver long-lasting, design-forward products — including benches, bike racks, fences, and complete park systems — all crafted to blend functionality with modern aesthetics.

Our mission is simple: to help developers, HOAs, and municipalities create spaces that bring people together.

Every project we take on is guided by three core values: durability, design integrity, and community impact.

Reliable quality. Timeless design. Built for every space.

Catalogue

P 01 Picnic Tables

P 11 Outdoor Benches

P 23 Trash Bins

P 29 Clothing Donation Bin

P 35 Outdoor Flower Box

P 39 Bollards

P 41 Bike Racks

P 43 Tree Grates

P 45 Fence

P 47 Dog Park



PICNIC TABLES

01

Model TB24-01

Overall size:2000*2000*760mm
 Table:1170*1170*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating
 Umbrella:Φ2700mm
 Frame:Alu. Alloy
 Fabric:outdoor fabric water proof



Model TB24-04

Overall size:2000*2000*760mm
 Table:1170*1170*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating



Model TB24-05

Overall size:2000*2000*760mm
 Table:1170*1170*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating



Model TB24-06

Overall size:2000*2000*760mm
 Table:1170*1170*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating



Model TB24-07

Overall size:1850*1850*760mm
 Table:1000*1000*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating



Model TB24-02

Overall size:2000*1585*760mm
 Table:1170*1170*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating



Model TB24-03

Overall size:2000*2000*760mm
 Table:1170*1170*760mm
 Bench:915*255*460mm
 Top:2.5mm thick perforated steel plate
 Finish:thermoplastic coating or powder coating



Model TB24-08

Overall size:1850*1850*760mm
 Table:1000*1000*760mm
 Bench:915*255*460mm
 Top:2.5mm thick expanded steel mesh
 Finish:thermoplastic coating



Model TB24-09

Overall size:1850*1850*760mm
 Table:1000*1000*760mm
 Bench:915*255*460mm
 Top:2.5mm thick perforated steel plate
 Finish:thermoplastic coating or powder coating

Picnic Table Thermoplastic Coated Features



Thermoplastic coatings are applied by fluid bed coating, covering metal surfaces as decorative or protective coatings for steel and other metal components. This coating chooses a thicker coating and can be used normally in harsh outdoor environments. Plastic coating is an excellent electrical insulator. This material will melt and flow around the coated object, creating a smooth surface and comfortable touch.



Model TB24-11

Overall size:2000*2000*760mm
Table:Φ 1170*760mm
Seat:915*255*460mm
Top:2.5mm thick perforated steel plate
Finish:thermoplastic coating or powder coating



Model TB24-12

Overall size:2000*1585*760mm
Large:table:Φ 1170*760mm
Small:table:Φ 1000*760mm
Bench: 915*255*460mm
Top:2.5mm thick expanded steel mesh
Finish:thermoplastic coating or powder coating



Model TB24-13

Overall size:2000*2000*760mm
Table:Φ 1170*760mm
Seat:915*255*460mm
Top:2.5mm thick steel plate
Finish:thermoplastic coating



Model TB24-14

Overall size:1980*1980*750mm
Table:Φ 900mm*750mm
Bench:Φ 360*400mm
Top:2.5mm thick perforated steel plate
Finish:thermoplastic coating or powder coating

It can cover corners well and has a long service life and excellent UV resistance to retain color. Thermoplastics have excellent wear resistance, corrosion resistance, and impact resistance. They provide a long-lasting protective barrier against chemicals, water, and other corrosive substances, while also withstanding extreme temperatures.



Model TB24-15

Overall size:2440*1830*720mm
Table:2440*800*720mm
Bench:2440*360*420mm
Top:2.5mm thick perforated steel plate
Finish:thermoplastic coating or powder coating



Model TB24-16

Overall size:2440*1600*760mm
Table:2440*700*760mm
Bench:1830*300*430mm
Top:2.5mm thick perforated steel plate
Finish:thermoplastic coating or powder coating



Model TB24-17

Overall size:2440*1706*760mm
Table:2440*750*760mm
Bench:2440*300*440mm
Top:2.5mm thick perforated steel plate
Finish:thermoplastic coating or powder coating



Model TB24-18

Overall size:1830*1580*760mm
Table:1830*700*760mm
Bench:1830*300*460mm
Top:15*18mm butt-welding mesh
Finish:thermoplastic coating



Model TB24-19

Overall size:2440*1780*760mm
Table:2440*760*760mm
Bench:2440*255*460mm
Top:2.5mm thick expanded steel mesh
Finish:thermoplastic coating

HIGH QUALITY



Model TB24-20

Overall size: Φ 2000*750mm
 Table: Φ 1000*750mm
 Bench: 300*440mm
 Top: 2.5mm thick perforated steel plate
 Finish: thermoplastic coating or powder coating



Model TB24-23

Table: Φ 1200*750mm
 Chair: 680*535*890mm
 Top: 2.5mm thick 304/316 SS plate



Model TB24-21

Overall size: Φ 2000*750mm
 Table: Φ 1000*750mm
 Bench: 300*440mm
 Top: 2.5mm thick steel plate
 Finish: thermoplastic coating



Model TB24-24

Table: Φ 1200*750mm
 Chair: 680*535*890mm
 Top: 2.5mm thick steel plate
 Finish: thermoplastic coating



Model TB24-22

Table: 800*800*740mm
 Bench: 800*350*440mm
 Top: 4mm thick steel plate
 Finish: thermoplastic coating or powder coating



Model TB24-25

Table: Φ 800*800mm
 Chair: 550*500*880mm
 Top: 2.5mm thick steel plate
 Finish: thermoplastic coating or powder coating

M O D E R N / S T Y L E

Model TB24-26

Table: Φ 800mm*750mm
 Chair: 555*585*910mm
 Top: 15*18mm butt-welding mesh
 Finish: thermoplastic coating



Model TB24-27

Overall size 2300*2300*835mm
 Table: 1000*1000*750mm
 Chair: 1000*255*835mm
 Top: 2.5mm thick expanded steel mesh
 Finish: thermoplastic coating



Model TB24-28

Overall size: Φ 2410*940mm
 Table: Φ 1050mm*760mm
 Chair: 535*670*940mm
 Top: 2.5mm thick perforated steel plate
 Finish: thermoplastic coating or powder coating





Model TB24-29

Overall size:2240*2240*750mm
Table Top:1000*1000*750mm
Seat Top :500*450*440mm
Top:30-40mm plastic wood



Model TB24-30

Overall size:2000*2000*760mm
Table:1170*1170*760mm
Bench:915*260*460mm
Top:30-40mm plastic wood



Model TB24-35

Overall size:1800*1430*760mm
Table:1800*800*760mm
Bench:1800*280*460mm
Top:80*40mm plastic wood



Model TB24-36

Overall size:1800*1590*760mm
Table:1800*550*760mm
Bench:1800*350*440mm
Top:57*32mm plastic wood



Model TB24-31

Overall size:1680*1680*760mm
Table:Φ800*760mm
Top:80*40mm plastic wood/ hardwood



Model TB24-32

Table:780*780*750mm
Chair:420*536*800mm
Top:90*40mm plastic wood



Model TB24-37

Overall size:1800*1600*760mm
Table:1800*740*760mm
Bench:1800*290*440mm
Top:140*35mm plastic wood



Model TB24-38

Overall size:1830*1440*760mm
Table:1830*620*760mm
Chair:1380*260*440mm
Top:80*40mm plastic wood



Model TB24-33

Overall size:Φ1910*770mm
Table :900*900*770mm
Bench:200*450mm
Top:90*40mm plastic wood



Model TB24-34

Overall size:1800*1570*760mm
Table:1800*690*760mm
Bench:1800*290*430mm
Top:90*40mm plastic wood



Model TB24-39

Overall size:1800*1720*750mm
Table:1800*700*750mm
Bench:1800*350*440mm
Top:80*40mm plastic wood



Model TB24-40

Table:1800*710*750mm
Seat:1800*350*440mm
Top:80*40mm plastic wood

OUTDOOR BENCHES



Model FS24-02

Size: 1320*580*630mm
 Material: 304/316 SS brushed, 2.0/2.5mm thick
 Seat surface: 25 mm thick expanded steel mesh
 Bracket: 50*50*2.5mm rectangular tube
 Surface treatment: thermoplastic coating



Model FS24-03

Size: 1800*300*450mm
 Seat top: 2.5mm thick expanded steel mesh
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-01

Size: 1800*525*870mm
 Seat top and back: 2.5mm thick expanded steel mesh
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-04

Size: 2440*525*870mm
 Seat top and back: 2.5mm thick expanded steel mesh
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-05

Size: 1800*525*870mm
 Seat top and back: 2.5mm thick expanded steel mesh
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-06

Size: 1800*525*870mm
 Seat top and back: 2.5mm thick perforated steel plate
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating or powder coating



Model FS24-07

Size:1320*580*630mm
Material:304/316 SS brushed, 2.0/2.5mm thick



Model FS24-08

Size:1800*520*630mm
Seat top:2.5mm thick expanded steel mesh
Support:Φ48*2.5mm steel tube
Surface treatment: thermoplastic coating



Model FS24-13

Size:1800*630*860mm
Seat top:3.0/4.0mm thick steel plate
support: 50*10mm flat iron
Surface treatment:thermoplastic coating
or powder coating



Model FS24-09

Size:1800*420*440mm
Seat surface: Φ16mm steel tube
Support: Φ76*2.5mm steel tube
Surface treatment:powder coating



Model FS24-10

Size:2100*620*440mm
Seat top:2.5mm thick perforated steel plate
Support:Φ60*2.5mm steel tube
Surface treatment:thermoplastic coating or powder coating

Model FS24-14

Size:Size:1800*590*860mm
Seat top:4.0mm thick steel plate
support:40*40mm rectangular tube
Surface treatment:thermoplastic coating
or powder coating



Model FS24-11

Size:Size:1600*760*845mm
Seat top and back:2.5mm thick expanded steel mesh
support:Cast iron, with weight 55kgs/pair
Surface treatment: thermoplastic coating



Model FS24-12

Size:Size:1800 760 845mm
Seat top:2.5mm thick steel plate
support:Cast iron, with weight 55kgs/pair
Finish:thermoplastic coating or powder coating



Model FS24-15

Size:1800*630*930mm
Seat top:3.0/4.0mm thick steel plate
support: 50*10mm flat iron
Surface treatment:thermoplastic coating
or powder coating



Model FS24-16

Size:1800*635*850mm
Seat surface: Φ 16mm steel tube
Support: cast iron, weight 36kg/pair
Surface treatment: powder coating



Model FS24-17

Size:1800*635*850mm
Seat top:3mm thick steel plate
support:Cast iron, with weight 36kgs/pair
Surface treatment:thermoplastic coating
or powder coating



Model FS24-22

Size:1800*620*440mm
Seat top: Φ 16mm steel tube
support: Φ 48*2.5mm steel tube
Surface treatment:powder coating



Model FS24-23

Size:1800*590*800mm
Material:304/316 SS plate
Seat top: Φ 16mm steel tube
support: Φ 48*2.5mm steel tube
Surface treatment:powder coating



Model FS24-18

Size:1800*635*850mm
Seat top:2.5mm steel plate
support:Cast iron, with weight 36kgs/pair
Surface treatment:thermoplastic coating
or powder coating



Model FS24-19

Size:1800*590*790mm
Seat top:2.5mm thick perforated steel plate
support: Cast Alumium, with weight 8.2kgs/pair
Surface treatment:thermoplastic coating
or powder coating



Model FS24-24

Size:1800*560*600mm
Seat top: Φ 8mm round steel
Support: Φ 48*2.5mm steel tube
Surface treatment:powder coating



Model FS24-26

Size:1800*615*440mm
Seat top: Φ 16mm steel tube
Support:Cast iron, with weight 21kgs/pair
Surface treatment:powder coating



Model FS24-20

Size:1800*660*870mm
Seat top:4.0mm thick steel plate
support:Cast iron, with weight 25kgs/pair
Surface treatment:thermoplastic coating
or powder coating



Model FS24-21

Size:1800*700*860mm
Seat top:3.5/4mm thick steel plate
support:Cast iron, with weight 46kgs/pair
Surface treatment:thermoplastic coating
or powder coating



Model FS24-25

Size:1800*650*770mm
Seat top: Φ 8mm round steel
Support: Φ 48*2.5mm steel tube
Surface treatment:powder coating



Model FS24-27

Size:1800*580*800mm
Seat top: Φ 16mm steel tube
Support:Cast iron, with weight 21kgs/pair
Surface treatment:powder coating



Model FS24-28

Size: 1600*610*825mm
 Seat top: 2.5mm thick expanded steel mesh
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-29

Size: 1200*800*840mm
 Seat top: 2.5mm thick expanded steel mesh
 Support: Φ42*2.5mm steel tube
 Surface treatment: thermoplastic coating




Model FS24-30

Size: 1600*700*840mm
 Seat top: 2.5mm thick expanded steel mesh
 Support: Φ60*3.0mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-31

Size: 1630*690*830mm
 Seat top: 2.5mm thick steel plate
 Support: Φ60*3.0mm steel tube
 Surface treatment: thermoplastic coating or powder coating



Model FS24-32

Size: 1800*700*840mm
 Seat surface: 2.5mm thick expanded steel mesh
 Support: Φ60*3.0mm steel tube
 Surface treatment: thermoplastic coating



Model FS24-33

Size: 1500*700*840mm
 Seat top: 2.5mm thick steel plate
 Support: Φ60*3.0mm steel tube
 Surface treatment: thermoplastic coating or powder coating

Advertising ——— Bench



Model FS24-34

Size: 2050*715*1110mm
 Seat top: 2.5mm thick steel plate
 Support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating or powder coating



Model FS24-35

Size: 2050*680*1110mm
 Seat top: 2.5mm thick steel plate
 support: Φ48*2.5mm steel tube
 Surface treatment: thermoplastic coating or powder coating



Model FW24-01

Size:1800*490*440mm
Seat top:90*40mm plastic wood
Support:10mm thick steel plate



Model FW24-02

Size:1800*575*900mm
Seat top:90*40mm plastic wood
Support:10mm thick steel plate



Model FW24-03

Size:1800*550*450mm
Seat top:60*40mm plastic wood
Support:Alu. die cast, with weight 7.2kgs/pair



Model FW24-04

Size:1800*600*785mm
Seat top:60*40mm plastic wood
Legs: cast Alumium, with weight 12kgs/pair



Model FW24-05

Size:1800*760*830mm
Seat top:57*32mm plastic wood
Support:50*50mm square tube



Model FW24-06

Size:1800*650*800mm
Bracket: 304/316 stainless steel, 50*10mm flat iron
Seat top: solid wood or plastic wood, backrest: 95*30mm,
seat plate: 140*30mm

Model FW24-07

Size:1800*590*440mm
Seat top:30~40 mm plastic wood or solid wood
Support:Cast iron,with weight 21kgs/pair



Model FW24-08

Size:1800*730*900mm
Seat top: 30~40 mm plastic wood or solid wood
Support:Cast iron,with weight 21kgs/pair



Model FW24-09

Size:1800*620*830mm
Seat top:30~40 mm plastic wood or solid wood
Support:Cast iron,with weight 24kgs/pair



Model FW24-10

Size:1200*630*870mm
Seat top:90*40mm plastic wood
Support:cast Alumium.with weight 18kgs/pair





Model FW24-11

Size:2000*420*450mm
Seat top: 30~40mm plastic wood
Support:4mm thick steel plate



Model FW24-12

Size:2000*512*800mm
Seat top: 30~40mm plastic wood
Support:4mm thick steel plate



Model FW24-13

Size:1800*430*420mm
Seat top:30~40mm plastic wood
Support:Alu. die cast, with weight 10kgs/pair



Model FW24-14

Size:1800*610*780mm
Seat top: 30~40mm plastic wood
Support:Alu. die cast, with weight 18kgs/pair



Model FW24-15

Size:1800*630*440mm
Seat top:30~40mm plastic wood
Support:60*40mm rectangular tube



Model FW24-16

Size:1800*630*850mm
Seat top:30~40mm plastic wood
Support:60*40mm rectangular tube



Model FW24-17

Size:1800*680*820mm
Seat top:90*25mm plastic wood
Support:40*20mm rectangular tube



Model FW24-18

Size:1800*580*740mm
Seat top: solid wood or plastic wood
backrest: 95*30mm
seat plate: 140*30mm



Model FW24-19

Size: 1800*620*840mm
Seat top: 30mm thick plastic wood or solid wood
Bracket: Φ38*2.0mm galvanized steel pipe



Model FW24-20


Size:1800*600*760mm
Seat top: 30~40mm plastic wood
Support:Cast iron, with weight 28kgs/pair

TRASH BINS



Model BS24-04

Size:500*500*1050mm
Material:1.2mm thick Galvanized steel
Surface treatment:powder coating



Model BS24-05

Size:450*350*900mm
Material:1.2mm thick Galvanized steel
Surface treatment:powder coating



Model BS24-06

Size:580*370*1055mm
Material:1.2mm thick Galvanized steel
Surface treatment:powder coating



Model BS24-07

Size:500*500*900mm
Material:1.2mm thick Galvanized steel
Surface treatment:powder coating



Model BS24-08

Size:450*450*950mm
Case body:2.5mm thick expanded steel mesh
Surface treatment:thermoplastic coating



Model BS24-09

Size:524*370*1000mm
Material:1.2mm thick Galvanized steel
Surface treatment:powder coating



Model BS24-01

Size:1200*380*760mm
Material:1.2/1.5mm thick Galvanized steel



Model BS24-02

Size:1200*380*760mm
Material:304/316 SS brushed, 1.2/1.5mm thick



Model BS24-03

Size:1000*380*900mm
Material:304/316 SS brushed, 1.2/1.5mm thick



Model BS24-10

Size:580*370*1055mm
Material: Box 1.2mm thick galvanized steel
outer frame: 6mm steel pan
Surface treatment:powder coating



Model BS24-11

Size:500*500*900mm
Material:1.2mm thick Galvanized steel
Surface treatment:powder coating



Model BS24-12

Size:635*635*990mm
Case body:2.5mm thick expanded steel mesh
Surface treatment:thermoplastic coating



Model BS24-13

Size: 475*Φ400*1000mm
Material: 304/316 SS brushed, 1.2mm thick



Model BS24-14

Size: Φ400*760mm
Material: 1.5mm thick Galvanized steel
Surface treatment: thermoplastic coating or powder coating



Model BS24-15

Size: Φ400*700mm
Material: 1.5mm thick Galvanized steel
Surface treatment: thermoplastic coating or powder coating



Model BS24-22

Size: Φ600*900mm
Material: 304/316 SS brushed, 1.5mm thick



Model BS24-23

Size: Φ610*915mm
Material: 304/316 SS brushed, 1.5mm thick



Model BS24-24

Size: Φ645*1110mm
Barrel body: Φ610*830mm
Case body: 304/316 SS brushed, 2.0/2.5mm thick



Model BS24-16

Size: Φ600*850mm
Material: 2.0/2.5mm thick Galvanized steel
Surface treatment: thermoplastic coating or powder coating



Model BS24-17

Size: Φ600*H1000mm
Material: 2.0/2.5mm thick Galvanized steel
Surface treatment: thermoplastic coating or powder coating



Model BS24-18

Size: Φ460*800mm
Material: +1.5mm thk steel plate bin body
Surface treatment: thermoplastic coating or powder coating



Model BS24-25

Size: Φ580*850mm
Case body: 2.5mm thick Galvanized steel
Surface treatment: thermoplastic coating



Model BS24-26

Size: 1020*390*940mm
Material: 1.5/2.0mm thick Galvanized steel
Surface treatment: powder coating



Model BS24-27

Size: 880*330*980mm
Material: 1.2mm thick SS
Surface treatment: plating



Model BS24-19

Size: Φ600*830mm
Case body: 2.5mm thick Galvanized steel
Surface treatment: thermoplastic coating



Model BS24-20

Size: Φ600*1040mm
Case body: 2.5mm thick expanded steel mesh
Surface treatment: thermoplastic coating



Model BS24-21

Size: Φ280*510mm
Material: 1.2mm thick perforated steel plate
Surface treatment: thermoplastic coating or powder coating



Model BS24-28

Size: 770*260*980mm
Material: 1.5mm thick Galvanized steel
Surface treatment: powder coating



Model BS24-29

Size: 945*260*1000mm
Material: 304/316 SS brushed
1.2/1.5mm thick Inner tank: 0.5mm thick



Model BS24-30

Size: 865*430*1060mm
Material: 1.5mm thick Galvanized steel
Surface treatment: powder coating



Model BW24-01

Size: Φ 400*760mm
Case body:20mm thick plastic wood



Model BW24-02

Size: Φ 400*700mm
Case body:20mm thick plastic wood



Model BW24-03

Size: Φ 500*785mm
Case body:20mm thick plastic wood



Model BW24-10

Size:1000*400*1000mm
Case body:20mm thick plastic wood or solid wood
Outer frame:4mm thick Galvanized steel



Model BW24-11

Size:905*350*1010mm
Case body:20mm thick plastic wood or solid wood
Outer frame:4mm thick Galvanized steel



Model BW24-12

Size:800*400*1000mm
Case body:20mm thick plastic wood or solid wood
Outer frame:1.2mm thick Galvanized steel



Model BW24-04

Size: Φ 400*940mm
Case body:20mm thick plastic wood



Model BW24-05

Size:390*390*940mm
Case body:20mm thick plastic wood



Model BW24-06

Size:450*450*700mm
Case body:20mm thick plastic wood



Model BW24-13

Size:524*370*1000mm
Case body:20mm thick plastic wood or solid wood
Outer frame:4mm thick Galvanized steel



Model BW24-14

Size:1080*320*1000mm
Case body:20mm thick plastic wood or solid wood
Outer frame:4mm thick Galvanized steel



Model BW24-15

Size:1080*320*1000mm
Case body:20mm thick plastic wood or solid wood
Outer frame:4mm thick Galvanized steel



Model BW24-07

Size:580*370*1055mm
Case body:20mm thick plastic wood or solid wood
Outer frame:4mm thick Galvanized steel



Model BW24-08

Size:580*370*1055mm
Case body:20mm thick plastic wood or solid wood
Outer frame:1.2mm thick Galvanized steel



Model BW24-09

Size:805*380*950mm
Material:stainless steel
Frame:Thermal Transfer Printing and wood grain



Model BW24-16

Size:1070*400*835mm
Case body:20mm thick plastic wood



Model BW24-17

Size:1070*400*940mm
Case body:20mm thick plastic wood



Model BW24-18

Size:1020*390*1000mm
Case body:20mm thick plastic wood or solid wood
Lid:1.5mm thick Galvanized steel

CLOTHING DONATION BIN



Model CD24-01

Size: 1060*1060*2000 mm
 Material: 1.5mm thick galvanized steel
 Surface treatment: powder coating



Model CD24-02

Size: 1100*800*1800 mm
 Material: 1.5mm thick galvanized steel
 Surface treatment: powder coating

Model CD24-03

Size: 720*720*1480mm
 Material: 1.5mm thick galvanized steel
 Surface treatment: powder coating



Model CD24-04

Size: 1060*1120*2000 mm
 Material: 1.5mm thick galvanized steel
 Surface treatment: powder coating

Model CD24-05

Size: 1060*1120*2000 mm
 Material: 1.5mm thick galvanized steel
 Surface treatment: powder coating

29

KD type

sizes colors logos
can be customized



Model CD24-06

Size:720*720*1480 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Model CD24-07

Size:760*760*1900 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Model CD24-08

Size:1060*1120*2000 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Model CD24-12

Size:1372*1524*1829 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating

Detachable
or
Pre-assembly are available



Model CD24-09

Size:1300*1400*1800 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Model CD24-10

Size:1060*1120*2000 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Model CD24-11

Size: 1150*1150*2015 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Model CD24-13

Size:1100*800*1800 mm
Material:1.5mm thick galvanized steel
Surface treatment:powder coating



Customer Case



Model CD24-14



Model CD24-15



Model CD24-16



Model CD24-23



Model CD24-24



Model CD24-25



Model CD24-17



Model CD24-18



Model CD24-19



Model CD24-26



Model CD24-27



Model CD24-28



Model CD24-20



Model CD24-21



Model CD24-22



Model CD24-29



Model CD24-30



Model CD24-31



Model FB24-01

Size:1000*1000*980mm
1000*1000*780mm
1000*1000*580mm
Material:SS 304/316
Thickness:2.0mm



Model FB24-02

Size:1000*1000*980mm;
800*800*800mm
600*600*600mm
Material:Galvanized steel
or SS 304
Thickness:2.0mm

outdoor flower box

03



04



05



Model FB24-03

Size:500*500*1000mm
Material:SS 304/316
Thickness:2.0mm

Model FB24-04

Size:Φ600*450*1000mm
Material:SS 304/316
Thickness:2.0mm

Model FB24-05

Size:1200*500*800mm
Material:SS 304/316
Thickness:2.0mm

Model FB24-06

Size:Φ800*800mm
Material:SS 304/316
Thickness:2.0mm



06



08



09



10



11



Model FB24-07

Size: 1000*300*750mm
 Partition Size: 1000*500mm
 Material: 1.5mm thick steel plate
 Partition: 2.5mm thick expanded mesh steel

Model FB24-08

Size: 1000*1000*1000mm
 Material: 2.0mm thick galvanized steel or stainless steel

Model FB24-09

Size: 2360*300*760mm
 1120*300*760mm
 900*300*760mm
 1120*300*760mm
 Material: Galvanized steel or SS
 Thickness: 2.0mm

Model FB24-10

Size: 450*450*900mm
 Material: Galvanized steel or SS
 Thickness: 2.0mm

Model FB24-11

Size: 800*600*980mm
 Material: 2.0mm thick galvanized steel or stainless steel



Size: 1200 x 340 x 400mm
 Material: Corten Steel
 Thickness: 2.0mm

Model FB24-12



Large Size: Φ 460*850mm
 Medium: Φ 600*650mm
 Small: Φ 600*400mm
 Material: Corten Steel
 Thickness: 2.0mm

Model FB24-13



Large Size: 500*500*1200mm
 Medium: 500*500*800mm
 Small: 500*500*500mm
 Material: Corten Steel
 Thickness: 2.0mm

Model FB24-14



Size: 800*800*800mm
 Material: SS 304/316
 Thickness: 2.0mm
 Wood: plastic wood or solid wood

Model FB24-15



Size: 1000*1000*900mm
 Material: 304/316 SS brushed, 2.0mm thick
 Seat top: 25mm plastic wood or solid wood

Model FB24-16



Size: Φ 800*600mm
 800*800*600mm
 1200*1200*800mm
 Material: 304/316 SS brushed, 2.0mm thick
 Seat top: 25mm plastic wood or solid wood

Model FB24-17



Model RB24-01

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201, $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm

BOLLARDS

39



Model RB24-02

Size: $\Phi 125 \times 750 \times \Phi 266\text{mm}$
 Material: Cast iron, with weight 35kgs/pc



Model RB24-03

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201, $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-04

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-05

Size: $\Phi 110 \times 1297 \times \Phi 231\text{mm}$
 Material: Cast iron, with weight 43 kgs/pc



Model RB24-06

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-07

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-08

Size: $\Phi 400 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-09

Size: $\Phi 400 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-10

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm



Model RB24-11


Size: $\Phi 219 \times \text{over ground } 600 \times \text{under ground } 1100\text{mm}$
 $\Phi 219 \times \text{over ground } 600 \times \text{under ground } 785$
 $\Phi 219 \times \text{over ground } 600 \times \text{under ground } 780$
 Material: Steel or SS 304/316/201,
 $\Phi 219\text{mm}$, with wall thickness 2.0~3.0mm



Model RB24-12

Size: $\Phi 114 \times 1000\text{mm}$
 Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
 with wall thickness 2.0~3.0mm


BIKE RACKS




Model BR24-01
Size:1600*650*900mm
Material:SS 304/316
Φ48*3mm and Φ32*2.5mm



Model BR24-02
Size:3300*650*730mm
Material: galvanized steel pipe
or stainless steel Φ42*2.5mm
and Φ26*2.5mm




Model BR24-03
Size:1950*560*340mm
Material:Galvanized steel tube
or SS tube Φ48*3mm and Φ32*2.5mm



Model BR24-04
Size:1640*42*800mm
Material: Φ42*3mm and
Φ42/Φ48*3mm Galvanized steel tube



Model BR24-05
Size:Ring 800mm (diameter) x 800mm,
spacing 650mm
Material:SS 304/306, Φ32*2.0mm



Model BR24-06
Size:2000*700*350mm
Material:Galvanized steel tube
or SS tube ,40*40 rectangular tube
and 26*2.0mm round tube.



Model BR24-07
Size:1600*950*900mm
Material:SS 304/316, post Φ48*3.0mm



Model BR24-08
Size:127*102*684mm
Material: , with weight 11 kgs



Model BR24-09
Size:246*60*850mm
Material: galvanized steel plate/stainless steel
Thickness: 10mm plate



Model BR24-10
Size:250*150*1090mm
Material:8mm thick galvanized steel



Model BR24-11
Size:305*70*850mm
Material: Cast aluminum, with weight 4.5 kgs.



Model BR24-12
Size:560*Φ89*890mm
Material:SS 304/316, Φ89*3.0mm



Model BR24-13
Size:474×140×900mm
Wood:hardwood or palstic wood.
Metal: 5mm thick galvanized steel



Model BR24-14
Size:900*48*810mm
A Material:SS 304/316, Φ48*2.5mm
B Material:Galvanized steel or SS, Φ48*3.0mm



Model BR24-15
A Size: Φ460*200*940mm
B Size:Φ460*940mm
Post:SS 304/316, Φ76*3mm and Φ32*2.5mm



Model BR24-16
Size:605*135*550mm
Material: Alu. die cast, with weight 8kgs.




Model TG24-01

Size: 3200*1600mm Φ 540mm hole
 2400*1200mm Φ 400mm hole
 2000*2000mm Φ 300mm hole
 Material: Steel or SS 304/316,
 10mm thick, laser cut.

TREE GRATES

43



Model TG24-02

Size: 1600*1600mm Φ 540mm hole
 1200*1200mm Φ 400mm hole
 Material: Galvanized steel or SS, 4mm Angle steel



Model TG24-03

Size: 1600*1600mm 540*540mm hole
 1200*1200mm 400*400mm hole
 Material: Steel or SS304/316, 5mm thick, laser cut.




Model TG24-04

Size: Φ 1600mm Φ 540mm hole
 Φ 1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 4mm thick, laser cut.



Model TG24-05

Size: Φ 1600mm Φ 540mm hole
 Φ 1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 4mm thick, laser cut.




Model TG24-06

Size: Φ 1600mm Φ 540mm hole
 Φ 1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 4mm thick, laser cut.




Model TG24-07

Size: Φ 1600mm Φ 540mm hole
 Φ 1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 4mm thick, laser cut.




Model TG24-08

Size: 1600*1600mm Φ 540mm hole
 1200*1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 4mm thick, laser cut.



Model TG24-09

Size: 1600*1600mm Φ 540mm hole
 1200*1200mm Φ 400mm hole
 Material: Corten Steel, 5mm thick, laser cut.



Model TG24-10

Size: 1600*1600mm Φ 540mm hole
 1200*1200mm Φ 400mm hole
 Material: Steel or SS 304/316,
 5mm thick, laser cut.



Model TG24-11

Size: 1600*1600mm Φ 540mm hole
 1200*1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 10mm thick,
 5mm thick, laser cut



Model TG24-12

Size: 1600*1600mm Φ 540mm hole
 1200*1200mm Φ 400mm hole
 Material: Steel or SS 304/316, 10mm thick,
 5mm thick, laser cut



Model TG24-01



Model TG24-05



Model TG24-06



Model TG24-07



Model TG24-08

FENCE 45

thermoplastic coated
All can be customized



Model TG24-02



Model TG24-03




Model TG24-04



Model TG24-09



Model TG24-10



DOG PARK 47

Dog Park Facilities



Model DP01
 Size: Circles Dia.610mm
 Material: galvanized steel plate/stainless steel
 Steel supporting pole: Φ26*2.5mm
 Finishing:outdoor powder coating



Model DP02
 Size: 450mm*400mm*910mm
 Material: steel tube Φ89*2.5mm
 Finishing: powder coating



Model DP03
 Size: Φ470mm*H500mm
 Material: galvanized steel plate/stainless steel perforated table top.
 Steel supporting pole: Φ48*2.5mm



Model DP04
 Size: Φ230mm*610mm
 Material: galvanized steel plate/stainless steel
 Finishing:outdoor powder coating



Model DP05
 Size: 2500*330*260mm (embedded:400mm H)
 Material: galvanized steel plate/stainless steel 1.2mm thick
 Finishing:outdoor powder coating



Model DP06
 Size: 700mm*60mm*2500mm
 Material: galvanized steel plate/stainless steel
 Steel supporting pole: Φ60*2.5mm
 Finishing:outdoor powder coating



Model DP07
 Size: 1120mm
 circle inner dia:670mm
 The drums material is engineering plastic.



Model DP08
 Size: 1120*Φ670*1120mm
 Barrel material: PE engineering plastic
 Bracket: Φ32*2.0mm galvanized steel



Model DP09
 Size: 900mm*900mm*500mm
 Table top:2.5mm expanded mesh steel plate
 Steel supporting poles: Φ48*2.5mm
 Finishing:thermoplastic coatin





Model DP10

Size: 3600*700*1150mm (embedded: 450mm H)
 table: L3600*W300mm
 Material: expanded mesh steel table top+supporting pole Φ 76*3mm
 Finishing: thermoplastic coating




Model DP11

Size: 3360mm*525mm*850mm
 Material: expanded mesh steel table top+supporting pole Φ 38*2.5mm
 Finishing: thermoplastic coating



Model DP16

Size: 1200mm*620mm*835mm
 Seat top and back: 2.5mm thick perforated steel plate
 Support: Φ 48*2.5mm steel tube
 Surface treatment: thermoplastic coating or powder coating



Model DP12

Size: Φ 48*610mm Gaps: 610mm for each
 Material: steel tube Φ 48*2.5mm
 Finishing: powder coating



Model DP13

Size: 1830mm
 Material: steel plate 4mm thick+ rectangular steel tube 50*50mm
 Finishing: powder coating



Model DP17

Size: 1830mm*510mm*855mm
 Seat top and back: 2.5mm thick expanded steel mesh
 Support: Φ 48*2.5mm steel tube
 Surface treatment: thermoplastic coating



Model DP14

Size: Dia 615.7mm*767.59mm
 Material: expanded mesh steel 2.5mm thick
 Finishing: powder coating/thermoplastic coating



Model DP15

Size: Dia 615.7mm*767.59mm
 Material: 1.5mm thick Galvanized steel
 Inner liner: 0.4mm thick galvanized sheet
 Finishing: thermoplastic coating/powder coating



Model DP18

Size: 1800mm*590mm*860mm
 Seat top: 2.5mm thick steel plate
 support: 40*40mm rectangular tube
 Surface treatment: thermoplastic coating or powder coating



Model DP19

Size: 1830mm*330mm*380mm
 Surface treatment: thermoplastic coating or powder coating